ELSEVIER

Neuroscience Letters 287 (2000) 240–243

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 287

Abbruzzese, G., see Borghi, R., 65
Abe, K., see Asano-Miyoshi, M., 239
Adkins, D.L., see Bury, S.D., 85
Aglioti, S.M., see Tinazzi, M., 133
Agnoletti, L., see Poloni, M., 211
Allard, M.V., see Burbaud, P., 76
Alleva, E., see Cirulli, F., 207
Alvarez, R.B., see Broccolini, A., 1
Amano, S., see Takahashi, Y., 105
Andreoli, M., see Crespi, F., 219
Arai, A., see Kessler, M., 161
Asano-Miyoshi, M., Abe, K., Emori, Y., Erratum to 'Co-expression of calcium signalling components in vertebrate taste bud cells' [Neurosci. Lett. 283 (2000) 61–64], 239
Askanas, V., see Broccolini, A., 1
Aumann, T.D., Redman, S.J., Horne, M.K., Long-term potentiation across rat cerebello-thalamic synapses in vitro, 151
Azkue, J.J., Mateos, J.M., Elezgarai, I., Benítez, R.V., Osorio, A., Díez, J., Bilbao, A., Bidaurrazaga, A., Grandes, P., The metabotropic glutamate receptor subtype mGluR 2/3 is located at extrasynaptic loci in rat spinal dorsal horn synapses, 236

Bachetti, T., see Poloni, M., 211
Baldessarini, R.J., see Tarazi, F.I., 81
Barden, J.A., Bennett, M.R., Distribution of P2X purinoceptor clusters on individual rat dorsal root ganglion cells, 183
Benítez, R.V., see Azkue, J.J., 236
Bennett, M.R., see Barden, J.A., 183
Berry, A., see Cirulli, F., 207
Bertrand, P.P., see Thomas, E.A., 137
Bidaurrazaga, A., see Azkue, J.J., 236
Bieger, D., see Dong, H., 89
Bilbao, A., see Azkue, J.J., 236
Bioulac, B., see Burbaud, P., 76
Boissl, K.W., see Durany, N., 109
Borghi, R., Marchese, R., Negro, A., Marinelli, L., Forloni, G., Zaccheo, D., Abbruzzese, G., Tabaton, M., Full length α-synuclein is present in cerebrospinal fluid from Parkinson's disease and normal subjects, 65
Bornstein, J.C., see Thomas, E.A., 137
Broccolini, A., Engel, W.K., Alvarez, R.B., Askanas, V., Redox factor-1 in muscle biopsies of patients with inclusion-body myositis, 1
Buerger, K., see Kohnken, R., 187
Burbaud, P., Camus, O., Guehl, D., Bioulac, B., Caillé, J.-M., Allard, M.V., Influence of cognitive strategies on the pattern of cortical activation during mental subtraction. A functional imaging study in human subjects, 76
Bury, S.D., Adkins, D.L., Ishida, J.T., Kotzer, C.M., Eichhorn, A.C., Jones, T.A., Denervation facilitates neuronal growth in the motor cortex of rats in the presence of behavioral demand, 85

Caillé, J.-M., see Burbaud, P., 76
Camana, C., see Poloni, M., 211
Camus, O., see Burbaud, P., 76
Capra, N.F., see Schumacher, M.A., 215
Capua, N.D., see Reshef, A., 223
Carbon, M., Wübbeler, G., Trahms, L., Curio, G., Hyperventilation-induced human cerebral magnetic fields non-invasively monitored by multichannel 'direct current' magnetoencephalography, 227
Cervós-Navarro, J., see Codina, C., 53
Cespuglio, R., see Charifi, C., 41
Cha, S.H., see Nakauchi, J., 231
Chairoungdua, A., see Nakauchi, J., 231
Chang, Y.-C., see Ho, Y.-J., 117
Charifi, C., Paut-Pagano, L., Debilly, G., Cespuglio, R., Jouvet, M., Valatx, J.-L., Effect of noradrenergic denervation of the amygdala upon recovery after sleep deprivation in the rat, 41
Chen, C.-J., Cheng, F.-C., Liao, S.-L., Chen, W.-Y., Lin, N.-N., Kuo, J.-S., Effects of naloxone on lactate, pyruvate metabolism and antioxidant enzyme activity in rat cerebral ischemia/reperfusion, 113
Chen, W.-Y., see Chen, C.-J., 113
Cheng, F.-C., see Chen, C.-J., 113
Chu, K., see Elder, G.A., 101
Chung, S., see Hahn, J., 45
Cirulli, F., Berry, A., Alleva, E., Intracerebroventricular administration of brain-derived neurotrophic factor in adult rats affects analgesia and spontaneous behaviour but not memory retention in a Morris Water Maze task, 207
Codina, C., Kraft, R., Pietsch, T., Prinz, M., Steinhäuser, C., Cervós-Navarro, J., Patt, S., Voltage- and γ-aminobutyric acid-activated membrane currents in the human medulloblastoma cell line MHH-MED-3, 53
Cohen, J.A., see Constantinescu, C.S., 171
Constantinescu, C.S., Goodman, D.B.P., Hilliard, B., Wysocka, M., Cohen, J.A., Murine macrophages stimulated with central and peripheral nervous system myelin or purified myelin proteins release inflammatory products, 171
Cormery, B., François Marini, J., Gardiner, P.F., Changes in electrophysiological properties of tibial motoneurones in the rat following 4 weeks of tetrodotoxin-induced paralysis, 21
Corsani, L., see Vannucchi, M.-G., 71
Crespi, F., Lazzarini, C., Andreoli, M., Vecchiato, E., Voltammetric and functional evidence that *N*-methyl-D-aspartate and substance P mediate rat vascular relaxation via nitrogen monoxide release, 219
Crisp, T., see Stuesse, S.L., 121
Cruce, W.L.R., see Stuesse, S.L., 121

PII: S0304-3940(00)01220-9

ELSEVIER

Neuroscience Letters 287 (2000) 240–243

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 287

Abbruzzese, G., see Borghi, R., 65
Abe, K., see Asano-Miyoshi, M., 239
Adkins, D.L., see Bury, S.D., 85
Aglioti, S.M., see Tinazzi, M., 133
Agnoletti, L., see Poloni, M., 211
Allard, M.V., see Burbaud, P., 76
Alleva, E., see Cirulli, F., 207
Alvarez, R.B., see Broccolini, A., 1
Amano, S., see Takahashi, Y., 105
Andreoli, M., see Crespi, F., 219
Arai, A., see Kessler, M., 161
Asano-Miyoshi, M., Abe, K., Emori, Y., Erratum to 'Co-expression of calcium signalling components in vertebrate taste bud cells' [Neurosci. Lett. 283 (2000) 61–64], 239
Askanas, V., see Broccolini, A., 1
Aumann, T.D., Redman, S.J., Horne, M.K., Long-term potentiation across rat cerebello-thalamic synapses in vitro, 151
Azkue, J.J., Mateos, J.M., Elezgarai, I., Benítez, R.V., Osorio, A., Díez, J., Bilbao, A., Bidaurrazaga, A., Grandes, P., The metabotropic glutamate receptor subtype mGluR 2/3 is located at extrasynaptic loci in rat spinal dorsal horn synapses, 236

Bachetti, T., see Poloni, M., 211
Baldessarini, R.J., see Tarazi, F.I., 81
Barden, J.A., Bennett, M.R., Distribution of P2X purinoceptor clusters on individual rat dorsal root ganglion cells, 183
Benítez, R.V., see Azkue, J.J., 236
Bennett, M.R., see Barden, J.A., 183
Berry, A., see Cirulli, F., 207
Bertrand, P.P., see Thomas, E.A., 137
Bidaurrazaga, A., see Azkue, J.J., 236
Bieger, D., see Dong, H., 89
Bilbao, A., see Azkue, J.J., 236
Bioulac, B., see Burbaud, P., 76
Boissl, K.W., see Durany, N., 109
Borghi, R., Marchese, R., Negro, A., Marinelli, L., Forloni, G., Zaccheo, D., Abbruzzese, G., Tabaton, M., Full length α-synuclein is present in cerebrospinal fluid from Parkinson's disease and normal subjects, 65
Bornstein, J.C., see Thomas, E.A., 137
Broccolini, A., Engel, W.K., Alvarez, R.B., Askanas, V., Redox factor-1 in muscle biopsies of patients with inclusion-body myositis, 1
Buerger, K., see Kohnken, R., 187
Burbaud, P., Camus, O., Guehl, D., Bioulac, B., Caillé, J.-M., Allard, M.V., Influence of cognitive strategies on the pattern of cortical activation during mental subtraction. A functional imaging study in human subjects, 76
Bury, S.D., Adkins, D.L., Ishida, J.T., Kotzer, C.M., Eichhorn, A.C., Jones, T.A., Denervation facilitates neuronal growth in the motor cortex of rats in the presence of behavioral demand, 85

Caillé, J.-M., see Burbaud, P., 76
Camana, C., see Poloni, M., 211
Camus, O., see Burbaud, P., 76
Capra, N.F., see Schumacher, M.A., 215
Capua, N.D., see Reshef, A., 223
Carbon, M., Wübbeler, G., Trahms, L., Curio, G., Hyperventilation-induced human cerebral magnetic fields non-invasively monitored by multichannel 'direct current' magnetoencephalography, 227
Cervós-Navarro, J., see Codina, C., 53
Cespuglio, R., see Charifi, C., 41
Cha, S.H., see Nakauchi, J., 231
Chairoungdua, A., see Nakauchi, J., 231
Chang, Y.-C., see Ho, Y.-J., 117
Charifi, C., Paut-Pagano, L., Debilly, G., Cespuglio, R., Jouvet, M., Valatx, J.-L., Effect of noradrenergic denervation of the amygdala upon recovery after sleep deprivation in the rat, 41
Chen, C.-J., Cheng, F.-C., Liao, S.-L., Chen, W.-Y., Lin, N.-N., Kuo, J.-S., Effects of naloxone on lactate, pyruvate metabolism and antioxidant enzyme activity in rat cerebral ischemia/reperfusion, 113
Chen, W.-Y., see Chen, C.-J., 113
Cheng, F.-C., see Chen, C.-J., 113
Chu, K., see Elder, G.A., 101
Chung, S., see Hahn, J., 45
Cirulli, F., Berry, A., Alleva, E., Intracerebroventricular administration of brain-derived neurotrophic factor in adult rats affects analgesia and spontaneous behaviour but not memory retention in a Morris Water Maze task, 207
Codina, C., Kraft, R., Pietsch, T., Prinz, M., Steinhäuser, C., Cervós-Navarro, J., Patt, S., Voltage- and γ-aminobutyric acid-activated membrane currents in the human medulloblastoma cell line MHH-MED-3, 53
Cohen, J.A., see Constantinescu, C.S., 171
Constantinescu, C.S., Goodman, D.B.P., Hilliard, B., Wysocka, M., Cohen, J.A., Murine macrophages stimulated with central and peripheral nervous system myelin or purified myelin proteins release inflammatory products, 171
Cormery, B., François Marini, J., Gardiner, P.F., Changes in electrophysiological properties of tibial motoneurones in the rat following 4 weeks of tetrodotoxin-induced paralysis, 21
Corsani, L., see Vannucchi, M.-G., 71
Crespi, F., Lazzarini, C., Andreoli, M., Vecchiato, E., Voltammetric and functional evidence that *N*-methyl-D-aspartate and substance P mediate rat vascular relaxation via nitrogen monoxide release, 219
Crisp, T., see Stuesse, S.L., 121
Cruce, W.L.R., see Stuesse, S.L., 121

PII: S0304-3940(00)01220-9

Curio, G., see Carbon, M., 227
Cuzner, M.L., see Hayes, G.M., 146

d'Alfonso, A.A.L., see Kessels, R.P.C., 68
Díez, J., see Azkue, J.J., 236
Danielczyk, W., see Durany, N., 109
Davies, P., see Kohnken, R., 187
de Haan, E.H.F., see Kessels, R.P.C., 68
Deacon, D., Gomes, H., Nousak, J.M., Ritter, W., Javitt, D., Effect of frequency separation and stimulus rate on the mismatch negativity: an examination of the issue of refractoriness in humans, 167
Dean, R.G., see DePrato Primeaux, S., 61
DeBernardis, J., see Kohnken, R., 187
Debilly, G., see Charifi, C., 41
Deckert, J.V., see Durany, N., 109
Denise, P., see Quarck, G., 49
DePrato Primeaux, S., Holmes, P.V., Martin, R.J., Dean, R.G., Edwards, G.L., Experimentally induced attenuation of neuropeptide-Y gene expression in transgenic mice increases mortality rate following seizures, 61
Dong, H., Loomis, C.W., Bieger, D., Effects of vagal cooling on esophageal cardiovascular reflex responses in the rat, 89
Dreshaj, I.A., see Ferguson, D.G., 141
Drews, E., see Zahn, R., 195
Durany, N., Zöchling, R., Boissl, K.W., Paulus, W., Ransmayr, G., Tatschner, T., Danielczyk, W., Jellinger, K., Deckert, J.V., Riederer, P., Human post-mortem striatal α4β2 nicotinic acetylcholine receptor density in schizophrenia and Parkinson's syndrome, 109

Ebert, U., Löscher, W., Strong olfactory stimulation reduces seizure susceptibility in amygdala-kindled rats, 199
Edwards, G.L., see DePrato Primeaux, S., 61
Eichhorn, A.C., see Bury, S.D., 85
Elder, G.A., Friedrich Jr., V.L., Chu, K., Lazzarini, R.A., Presence of unmyelinated axons in the lumbar ventral roots of the 129 mouse strain, 101
Elezgarai, I., see Azkue, J.J., 236
Emori, Y., see Asano-Miyoshi, M., 239
Endou, H., see Nakauchi, J., 231
Engel, W.K., see Broccolini, A., 1
Epiney, S., see Stoop, R., 5
Erberich, S., see Zahn, R., 195
Erhard, P., see Hickok, G., 156
Erokwu, B., see Ferguson, D.G., 141
Etard, O., see Quarck, G., 49

Facchetti, D., see Poloni, M., 211
Faussone-Pellegrini, M.-S., see Vannucchi, M.-G., 71
Ferguson, D.G., Haxhiu, M.A., To, A.J., Erokwu, B., Dreshaj, I.A., The α3 subtype of the nicotinic acetylcholine receptor is expressed in airway-related neurons of the nucleus tractus solitarius, but is not essential for reflex bronchoconstriction in ferrets, 141
Ferrari, G., see Tinazzi, M., 133
Forloni, G., see Borghi, R., 65
Fox, R.M., see Hayes, G.M., 146
Francolini, G., see Poloni, M., 211
Frey, S.L., see Schumacher, M.A., 215
Friedrich Jr., V.L., see Elder, G.A., 101

Gardiner, P.F., see Cormery, B., 21
Gomes, H., see Deacon, D., 167
Goodman, D.B.P., see Constantinescu, C.S., 171
Goto, A., see Nakauchi, J., 231
Grandes, P., see Azkue, J.J., 236
Griffin, G.E., see Hayes, G.M., 146
Guehl, D., see Burbaud, P., 76

Hahn, J., Nah, S.Y., Nah, J.-J., Uhm, D.-Y., Chung, S., Ginsenosides inhibit capsaicin-activated channel in rat sensory neurons, 45
Hallett, M., see Mima, T., 93
Hampel, H., see Kohnken, R., 187
Hao, S., Takahata, O., Iwasaki, H., Electroacupuncture potentiates the anti-nociceptive effect of intrathecal endomorphin-1 in the rat formalin test, 9
Haupt, S.S., Optical recording of spatiotemporal activation of rat somatosensory and visual cortex in vitro, 29
Haxhiu, M.A., see Ferguson, D.G., 141
Hayes, G.M., Fox, R.M., Cuzner, M.L., Griffin, G.E., Human rotation-mediated fetal mixed brain cell aggregate culture: characterization and *N*-methyl-D-aspartate toxicity, 146
Helisalmi, S., Valve, R., Karvonen, M.K., Hiltunen, M., Pirskanen, M., Mannermaa, A., Koulu, M., Pesonen, U., Uusitupa, M., Soininen, H., The leucine (7)-to-proline (7) polymorphism in the signal peptide of neuropeptide Y is not associated with Alzheimer's disease or the link apolipoprotein E, 25
Helms-Tillery, A.K., see Hickok, G., 156
Hickok, G., Erhard, P., Kassubek, J., Helms-Tillery, A.K., Naeve-Velguth, S., Strupp, J.P., Strick, P.L., Ugurbil, K., A functional magnetic resonance image study of the role of left posterior superior temporal gyrus in speech production: implications for the explanation of conduction aphasia, 156
Hilliard, B., see Constantinescu, C.S., 171
Hiltunen, M., see Helisalmi, S., 25
Ho, Y.-J., Chang, Y.-C., Liu, T.-M., Tai, M.-Y., Wong, C.-S., Tsai, Y.-F., Striatal glutamate release during novelty exposure-induced hyperactivity in olfactory bulbectomized rats, 117
Holmes, P.V., see DePrato Primeaux, S., 61
Horne, M.K., see Aumann, T.D., 151
Huber, W., see Zahn, R., 195

Iannazzo, L., Majewski, H., M_2/M_4-muscarinic receptors mediate automodulation of acetylcholine outflow from mouse cortex, 131
Ihara, N., see Takahashi, Y., 105
Inatomi, J., see Nakauchi, J., 231
Ishida, J.T., see Bury, S.D., 85
Ito, E., see Tojima, T., 179
Iwasaki, H., see Hao, S., 9

Javitt, D., see Deacon, D., 167
Jellinger, K., see Durany, N., 109
Jones, T.A., see Bury, S.D., 85
Jong, B.E., see Schumacher, M.A., 215
Jouvet, M., see Charifi, C., 41

Kanai, Y., see Nakauchi, J., 231
Karvonen, M.K., see Helisalmi, S., 25
Kassubek, J., see Hickok, G., 156
Kato, K., see Toyoshima, I., 175
Kato, N., see Takahashi, Y., 105
Kerkman, D., see Kohnken, R., 187
Kessels, R.P.C., d'Alfonso, A.A.L., Postma, A., de Haan, E.H.F., Spatial

working memory performance after high-frequency repetitive transcranial magnetic stimulation of the left and right posterior parietal cortex in humans, 68
Kessler, M., Rogers, G., Arai, A., The norbornenyl moiety of cyclothiazide determines the preference for flip-flop variants of AMPA receptor subunits, 161
Kim, D.K., see Nakauchi, J., 231
Kim, S.-P., see Lee, S.-R., 191
Kobayashi, M., see Toyoshima, I., 175
Kohnken, R., Buerger, K., Zinkowski, R., Miller, C., Kerkman, D., DeBernardis, J., Shen, J., Möller, H.-J., Davies, P., Hampel, H., Detection of tau phosphorylated at threonine 231 in cerebrospinal fluid of Alzheimer's disease patients, 187
Kotzer, C.M., see Bury, S.D., 85
Koulu, M., see Helisalmi, S., 25
Kraft, R., see Codina, C., 53
Krings, T., see Zahn, R., 195
Kuo, J.-S., see Chen, C.-J., 113

Löscher, W., see Ebert, U., 199
Lazzarini, C., see Crespi, F., 219
Lazzarini, R.A., see Elder, G.A., 101
Lee, S.-R., Suh, S.-I., Kim, S.-P., Protective effects of the green tea polyphenol (−)-epigallocatechin gallate against hippocampal neuronal damage after transient global ischemia in gerbils, 191
Lee, S.-Y., see Lin, M.-J., 97
Levine, J.D., see Schumacher, M.A., 215
Li, C.-s.R., Impairment of motor imagery in putamen lesions in humans, 13
Liao, S.-L., see Chen, C.-J., 113
Lin, M.-J., Tan, C.-T., Lee, S.-Y., Lin-Shiau, S.-Y., Suramin protects the murine motor nerves from the toxic effects of presynaptic Ca^{2+} channel inhibitors, 97
Lin, N.-N., see Chen, C.-J., 113
Lin-Shiau, S.-Y., see Lin, M.-J., 97
Liu, T.-M., see Ho, Y.-J., 117
Loomis, C.W., see Dong, H., 89
Lovell, J.A., see Stuesse, S.L., 121

Mai, R., see Poloni, M., 211
Majewski, H., see Iannazzo, L., 129
Mannermaa, A., see Helisalmi, S., 25
Marchese, R., see Borghi, R., 65
Marinelli, L., see Borghi, R., 65
Marini, J.F., see Cormery, B., 21
Martin, R.J., see DePrato Primeaux, S., 61
Masamune, O., see Toyoshima, I., 175
Mateos, J.M., see Azkue, J.J., 236
Matsuo, H., see Nakauchi, J., 231
Matsuoka, T., see Mima, T., 93
Mazzini, L., see Poloni, M., 211
McBurney, D.L., see Stuesse, S.L., 121
Meier, E., see Stoop, R., 5
Mense, S., see Trudrung, P., 125
Micheli, A., see Poloni, M., 211
Miller, C., see Kohnken, R., 187
Mima, T., Matsuoka, T., Hallett, M., Functional coupling of human right and left cortical motor areas demonstrated with partial coherence analysis, 93
Möller, H.-J., see Kohnken, R., 187
Mora, G., see Poloni, M., 211

Naeve-Velguth, S., see Hickok, G., 156
Nah, J.-J., see Hahn, J., 45
Nah, S.Y., see Hahn, J., 45
Nakauchi, J., Matsuo, H., Kim, D.K., Goto, A., Chairoungdua, A., Cha, S.H., Inatomi, J., Shiokawa, Y., Yamaguchi, K., Saito, I., Endou, H., Kanai, Y., Cloning and characterization of a human brain Na^+-independent transporter for small neutral amino acids that transports D-serine with high affinity, 231
Negro, A., see Borghi, R., 65
Nousak, J.M., see Deacon, D., 167

Okawa, S., see Toyoshima, I., 175
Oreel, M., see Quarck, G., 49
Osorio, A., see Azkue, J.J., 236

Pahan, K., Schmid, M., Activation of nuclear factor-kB in the spinal cord of experimental allergic encephalomyelitis, 17
Pasqualetti, P., see Tecchio, F., 203
Patt, S., see Codina, C., 53
Paulus, W., see Wu, T., 37
Paulus, W., see Durany, N., 109
Paut-Pagano, L., see Charifi, C., 41
Pesonen, U., see Helisalmi, S., 25
Pietsch, T., see Codina, C., 53
Pirskanen, M., see Helisalmi, S., 25
Pizzella, V., see Tecchio, F., 203
Poloni, M., Facchetti, D., Mai, R., Micheli, A., Agnoletti, L., Francolini, G., Mora, G., Camana, C., Mazzini, L., Bachetti, T., Circulating levels of tumour necrosis factor-α and its soluble receptors are increased in the blood of patients with amyotrophic lateral sclerosis, 211
Postma, A., see Kessels, R.P.C., 68
Pralong, E., see Stoop, R., 5
Prinz, M., see Codina, C., 53

Quarck, G., Etard, O., Oreel, M., Denise, P., Motion sickness occurrence does not correlate with nystagmus characteristics, 49

Ransmayr, G., see Durany, N., 109
Redman, S.J., see Aumann, T.D., 151
Reshef, A., Capua, N.D., Sperling, O., Zoref-Shani, E., Ischemic tolerance conferred to cultured rat neurons by heat shock is not mediated by opening of adenosine triphosphate-sensitive potassium channels, 223
Riederer, P., see Durany, N., 109
Ritter, W., see Deacon, D., 167
Rogers, G., see Kessler, M., 161
Romani, G., see Tecchio, F., 203
Rossini, P.M., see Tecchio, F., 203

Sadamatsu, M., see Takahashi, Y., 105
Saito, I., see Nakauchi, J., 231
Sasa, M., see Takahashi, Y., 105
Schmid, M., see Pahan, K., 17
Schumacher, M.A., Jong, B.E., Frey, S.L., Sudanagunta, S.P., Capra, N.F., Levine, J.D., The stretch-inactivated channel, a vanilloid receptor variant, is expressed in small-diameter sensory neurons in the rat, 215
Schwarz, M., see Zahn, R., 195
Schwarzer, C., see Takahashi, Y., 105
Shen, J., see Kohnken, R., 187
Shiokawa, Y., see Nakauchi, J., 231
Shu, Y.-S., see Zhou, Z.-S., 57

Soininen, H., see Helisalmi, S., 25
Sommer, M., see Wu, T., 37
Southall, M.D., Vasko, M.R., Prostaglandin E_2-mediated sensitization of rat sensory neurons is not altered by nerve growth factor, 33
Sperk, G.V., see Takahashi, Y., 105
Sperling, O., see Reshef, A., 223
Steinhäuser, C., see Codina, C., 53
Stoop, R., Epiney, S., Meier, E., Pralong, E., Modulation of epileptiform discharges in the rat limbic system in vitro by noradrenergic agents, 5
Strick, P.L., see Hickok, G., 156
Strupp, J.P., see Hickok, G., 156
Stuesse, S.L., Cruce, W.L.R., Lovell, J.A., McBurney, D.L., Crisp, T., Microglial proliferation in the spinal cord of aged rats with a sciatic nerve injury, 121
Sudanagunta, S.P., see Schumacher, M.A., 215
Sugawara, M., see Toyoshima, I., 175
Suh, S.-I., see Lee, S.-R., 191

Tabaton, M., see Borghi, R., 65
Tai, M.-Y., see Ho, Y.-J., 117
Takahashi, Y., Tsunashima, K., Sadamatsu, M., Schwarzer, C., Amano, S., Ihara, N., Sasa, M., Kato, N., Sperk, G.V., Altered hippocampal expression of neuropeptide Y, somatostatin, and glutamate decarboxylase in Ihara's epileptic rats and spontaneously epileptic rats, 105
Takahata, O., see Hao, S., 9
Tan, C.-T., see Lin, M.-J., 97
Tarazi, F.I., Zhang, K., Baldessarini, R.J., Olanzapine, quetiapine, and risperidone: long-term effects on monoamine transporters in rat forebrain, 81
Tatschner, T., see Durany, N., 109
Tecchio, F., Pasqualetti, P., Pizzella, V., Romani, G., Rossini, P.M., Morphology of somatosensory evoked fields: inter-hemispheric similarity as a parameter for physiological and pathological neural connectivity, 203
Tergau, F., see Wu, T., 37
Thomas, E.A., Bertrand, P.P., Bornstein, J.C., A computer simulation of recurrent, excitatory networks of sensory neurons of the gut in guinea-pig, 137
Tinazzi, M., Ferrari, G., Zampini, M., Aglioti, S.M., Neuropsychological evidence that somatic stimuli are spatially coded according to multiple frames of reference in a stroke patient with tactile extinction, 133
To, A.J., see Ferguson, D.G., 141
Tojima, T., Ito, E., Bimodal effects of acetylcholine on synchronized calcium oscillation in rat cultured cortical neurons, 179
Toyoshima, I., Kato, K., Sugawara, M., Wada, C., Okawa, S., Kobayashi, M., Masamune, O., Watanabe, S., Massive accumulation of M and H subunits of neurofilament proteins in spinal motor neurons of neurofilament deficient Japanese quail, Quv, 175
Trahms, L., see Carbon, M., 227
Trudrung, P., Wirth, U., Mense, S., Changes in the number of nitric oxide-synthesizing neurones on both sides of a chronic transection of the rat spinal cord, 125
Tsai, Y.-F., see Ho, Y.-J., 117
Tsunashima, K., see Takahashi, Y., 105

Ugurbil, K., see Hickok, G., 156
Uhm, D.-Y., see Hahn, J., 45
Uusitupa, M., see Helisalmi, S., 25

Valatx, J.-L., see Charifi, C., 41
Valve, R., see Helisalmi, S., 25
Vannucchi, M.-G., Corsani, L., Faussone-Pellegrini, M.-S., Co-distribution of NK2 tachykinin receptors and Substance P in nerve endings of guinea-pig ileum, 71
Vasko, M.R., see Southall, M.D., 33
Vecchiato, E., see Crespi, F., 219

Wübbeler, G., see Carbon, M., 227
Wada, C., see Toyoshima, I., 175
Watanabe, S., see Toyoshima, I., 175
Willmes, K., see Zahn, R., 195
Wirth, U., see Trudrung, P., 125
Wong, C.-S., see Ho, Y.-J., 117
Wu, T., Sommer, M., Tergau, F., Paulus, W., Lasting influence of repetitive transcranial magnetic stimulation on intracortical excitability in human subjects, 37
Wysocka, M., see Constantinescu, C.S., 171

Yamaguchi, K., see Nakauchi, J., 231

Zöchling, R., see Durany, N., 109
Zaccheo, D., see Borghi, R., 65
Zahn, R., Huber, W., Drews, E., Erberich, S., Krings, T., Willmes, K., Schwarz, M., Hemispheric lateralization at different levels of human auditory word processing: a functional magnetic resonance imaging study, 195
Zampini, M., see Tinazzi, M., 133
Zhang, K., see Tarazi, F.I., 81
Zhao, Z.-Q., see Zhou, Z.-S., 57
Zhou, Z.-S., Shu, Y.-S., Zhao, Z.-Q., Neomycin blocks substance P-induced calcium entry in cultured rat spinal cord neurons, 57
Zinkowski, R., see Kohnken, R., 187
Zoref-Shani, E., see Reshef, A., 223